

# FGS-HMEC-A

---



## FiberGuide® End Cap Kit, 4x4in, Black

- FiberGuide products are designed and manufactured to ensure total off-frame fiber cable protection
- FiberGuide maintains a minimum bend radius throughout the entire system, regardless of the system size
- FiberGuide is an optical raceway system for central office, mobile switching center and data center applications
- Engineers and installers can benefit from the large suite of available FiberGuide design tools

## Product Classification

|                              |   |
|------------------------------|---|
| <b>Regional Availability</b> | Asia   Australia/New Zealand   EMEA   Latin America   North America |
| <b>Portfolio</b>             | CommScope®  |
| <b>Product Type</b>          | Fiber raceway end cap   |
| <b>Product Brand</b>         | FiberGuide®   |
| <b>Product Series</b>        | FGS   |

## General Specifications

|                     |            |
|---------------------|------------|
| <b>Color</b>        | Black      |
| <b>Orientation</b>  | Horizontal |
| <b>Section Type</b> | End cap    |

## Dimensions

|                          |                               |
|--------------------------|-------------------------------|
| <b>Height</b>            | 107.95 mm   4.25 in           |
| <b>Width</b>             | 39.599 mm   1.559 in          |
| <b>Length</b>            | 114.427 mm   4.505 in         |
| <b>System Dimensions</b> | 102 mm x 102 mm (4 in x 4 in) |

## Ordering Tree

# FGS-HMEC-A



## Section Color

|   |       |        |
|---|-------|--------|
| 9 | empty | yellow |
|   | B     | black  |

## Section Size

|    |    |                                     |
|----|----|-------------------------------------|
| 10 | A  | 4 x 4 in                            |
|    | B  | 4 x 6 in                            |
|    | C  | 2 x 2 in                            |
|    | CA | 2 x 2 in, hinged cover              |
|    | D  | 4 x 4 in, for vertical slotted duct |
|    | E  | 4 x 2 in, for vertical slotted duct |
|    | F  | 4 x 12 in                           |
|    | G  | 2 x 6 in                            |
|    | H  | 4 x 24 in                           |
|    | 24 | 2 x 4 in, for vertical duct         |
|    | 44 | 4 x 4 in, snap-on for vertical duct |

## Material Specifications

**Material Type** Steel

## Environmental Specifications

**Flammability Rating** CSA S143 | UL 2024 | UL 94 V-0

**Halogen Characteristics** Blue Angel | TCO '99 | WEEE

**Safety Standard** CSA | UL

## Packaging and Weights

**Included** Hardware

**Packaging quantity** 1

**Weight, net** 0.103 kg | 0.227 lb

## Regulatory Compliance/Certifications

### Agency

### Classification

CHINA-ROHS

Below maximum concentration value

REACH-SVHC

Compliant as per SVHC revision on [www.commscope.com/ProductCompliance](http://www.commscope.com/ProductCompliance)

ROHS

Compliant

